

## Today's Plan:

**Learning Target (standard):** I will review properties of logarithms.

**Students will:** Complete practice problems over previous concepts at the boards, put up homework problems on the board and make necessary corrections to their own work, take notes over new material and complete practice problems over new concepts.

**Teacher will:** Provide practice problems over previous concepts, check homework problems for accuracy and provide students feedback, describe and provide examples of new concepts and assign students assessment problems over new concepts.

**Assessment:** Board work, homework check and homework assignment

**Differentiation:** Students will work at the board, go over and correct homework at their seats, actively engage in lecture over new concepts, practice new concepts with the aid of other students and the teacher and complete homework assignment.

Even/Odd/Neither? Why?

$$f(x) = \frac{4x - 5}{7x^3 - 11x}$$

$$f(-x) = \frac{4(-x) - 5}{7(x)^3 - 11(-x)}$$

$$f(-x) = \frac{-4x - 5}{-7x^3 + 11x}$$

$\therefore$  neither

$$f(-x) \neq f(x)$$

$$f(-x) \neq -f(x)$$

Find the intercepts and asymptotes and domain.

$$f(x) = \frac{2x-5}{4-x}$$

$I_x: (\frac{5}{2}, 0)$       $0 = \frac{2x-5}{4-x}$   
 $I_y: (0, -\frac{5}{4})$       $0 = 2x-5$   
 $f(0) = \frac{0-5}{4-0} = -\frac{5}{4}$       $-2x = -5$   
 $x = \frac{5}{2}$

$D: \{x \mid x \neq 4\}$   
 VA:  $x = 4$   
 HA:  $y = -2$   
 OA: —  
 EB: —

Find the inverse function. Find the domain and range of each.

$$f(x) = \frac{3x+4}{2-x}$$

$D: \{x \mid x \neq 2\}$   
 $R: \{y \mid y \neq -3\}$

$x = \frac{3y+4}{2-y}$   
 $x(2-y) = 3y+4$   
 $2x - xy = 3y+4$   
 $-xy - 3y = -2x+4$   
 $-y(x+3) = -2x+4$   
 $y = \frac{2x-4}{x+3}$   
 $f^{-1}(x) = \frac{2x-4}{x+3}$

$D: \{x \mid x \neq -3\}$   
 $R: \{y \mid y \neq 2\}$

Evaluate.

$$\begin{aligned} y &= \log_a x \\ a^y &= x \end{aligned}$$

$$\begin{aligned} \log_6 \frac{1}{36} &= x \\ 6^x &= \frac{1}{36} \\ x &= -2 \end{aligned}$$

$$\begin{aligned} \log_5 25 &= x \\ 5^x &= 25 \\ x &= 2 \end{aligned}$$

$$\begin{aligned} \log_2 16 &= x \\ 2^x &= 16 \\ x &= 4 \end{aligned}$$

$$\begin{aligned} \log_2 64 &= x \\ 2^x &= 64 \\ x &= 6 \end{aligned}$$

Condense each expression to a single logarithm.

$$\begin{aligned} &3 \log_2 u + 18 \log_2 v + 3 \log_2 w \\ &= \log_2 u^3 + \log_2 v^{18} + \log_2 w^3 \\ &= \log_2 (u^3 v^{18} w^3) \\ &= \log_2 (u v^6 w)^3 \end{aligned}$$

$$\begin{aligned} 1) &\log_a xy = \log_a x + \log_a y \\ 2) &\log_a \left(\frac{x}{y}\right) = \log_a x - \log_a y \\ 3) &\log_a x^m = m \log_a x \end{aligned}$$

Condense to a single logarithmic expression.

$$\begin{aligned}
 & 5 \log_9 a - 5 \log_9 c - 15 \log_9 b \quad \frac{\frac{3}{4}}{7} = \frac{3}{4} \cdot \frac{1}{7} \\
 & = \log_9 a^5 - \log_9 c^5 - \log_9 b^{15} \\
 & = \log_9 \left( \frac{a^5}{c^5} \right) - \log_9 b^{15} \\
 & = \log_9 \left( \frac{a^5}{b^{15} c^5} \right) \\
 & = \log_9 \left( \frac{a}{b^3 c} \right)^5
 \end{aligned}$$

Expand each logarithm.

$$\begin{aligned}
 & \log_9 \sqrt[3]{x \cdot y \cdot z \cdot w} \\
 & = \log_9 (wxyz)^{\frac{1}{3}} \\
 & = \frac{1}{3} \log_9 (wxyz) \\
 & = \frac{1}{3} \log_9 w + \frac{1}{3} \log_9 x + \frac{1}{3} \log_9 y + \frac{1}{3} \log_9 z
 \end{aligned}$$

Expand.

$$\begin{aligned}\log_8 (w^3 \sqrt[3]{u \cdot v}) \\ &= \log_8 w^3 + \log_8 \sqrt[3]{uv} \\ &= 3\log_8 w + \log_8 (uv)^{\frac{1}{3}} \\ &= 3\log_8 w + \frac{1}{3}\log_8 (uv) \\ &= 3\log_8 w + \frac{1}{3}\log_8 u + \frac{1}{3}\log_8 v\end{aligned}$$

Assignment:

Wkst 1.6 #3-15 odd, 23, 25, 27

\* on 3-15 explain why \*